

Floor Companion

Ecolive+ Floorling System

Protects the floor and further enhances the living and sports experience.



Food-grade PP (Polypropylene) Eco-friendly Non-toxic

SGS Food Contact Certification

SGS French A+ Environmental
Protection Certification



Certification

SGS French A+ Environmental Protection Certification



Product Introduction

Vertical Hexagonal Structure Extremely Low Heat Loss

Suitable for underfloor heating

During the heating test,
the temperature rises by 25°C in
2 minutes

JABOD 佳璞多®





1. Superior moisture-proof performance

The floor companion forms an elevated layer between the floor and the foundation, which completely isolates the impact of moisture from the foundation layer on the floor

2. Sound-Proof performance of floor slabs

12mm thickness Products can reduce noise by 15dB(SGS TESTING)

Ecolive+ Flooring System Advantage

JABOD 佳璞多®




Excellent Impact Absorption and Shock Absorption Protection

Provides a superior sports experience, protects joints and reduces the risk of injury

Modular construction replaces the self-leveling cement base layer, shortening the construction period and improving efficiency


Floor Protection

JABOD 佳璞多®



Waterproof Moisture-Proof

The suspension effect brought by waterproof materials and the elevated structure protects the floor from moisture



Extremely Strong Support

A flat compressive strength of 0.771 MPa




Floor Leveling

Floor leveling with an error of approximately 6mm

Soundproof Floor Slab

JABOD 佳璞多®



Up to 15 dB of impact sound pressure improvement, enhancing the sound insulation performance of floor slabs



The damping effect of the non-woven fabric surface and the product's own cushioning and shock absorption structure provide excellent stepping feedback, bringing a more comfortable living experience