JM Brine/Dosing Tanks



Ewater

Brine Tank

Brine tank is designed for brine and chemical storage, these rotomolded tanks are the ideal choice for hard-working commercial environments.

- Material: LDPE; Rotation mould with good-looking appearance.
- For 350-2000L model, each tank is designed with a small lid on top cover for covenience use.
- The extension of salt pipe makes capacity increase 15%.

Ewater





Brine Valve

- Water injection protection.
- With check ball to avoid air release.
- Controlling inlet water speed.
- water flow limit control.
- Relying on water pressure working reliably.

Ewater


Brine Valve 434


Brine Valve 454

Model	Type	Volume(Liter)	Dia(mm)	Height(mm)	Brine Valve Model Matching
JM-100U	Cylindrical	100	390	845	434
JM-200U		200	490	1100	434
JM-350U		350	650	1080	454
JM-500U		500	800	1180	454
JM-1000U		1000	1000	1380	454
JM-1500U		1500	1210	1500	454
JM-2000U		2000	1360	1650	454

Model	Type	Volume(Liter)	Dia(mm)	Height(mm)	Brine Valve Model Matching
JM-100C	Conical	100	390	810	434
JM-200C		200	550	1060	434
JM-350C		350	740	1275	454
JM-500C		500	840	1335	454
JM-1000C		1000	1080	1460	454
JM-1500C		1500	1240	1575	454
JM-2000C		2000	1360	1690	454

Ewater

*Please contact us for more models

Dosing Tank

Excellent at collision resistant, Intensive vibration resistant, and is perfect at algae control, Easy cleaning, rodent prevention a Termite prevention. White or yellow colour.

- Material: LDPE.
- Seamless one piece moulding, strong and durable.
- Integrated volume gauge.



Model	Volume(Liter)	Dia(mm)	Height(mm)
MC-40	40	450	320
MC-80	80	450	550
MC-100	100	450	720
MC-200	200	558	870
MC-500	770	800	1120
MC-1000	1000	1050	1250



Model	Volume(Liter)	L*Wmm)	Height(mm)
KC-40	40	370*320	370
KC-80	80	350*340	645
KC-120	120	410*400	800
KC-200	200	580*580	800
KC-300	300	560*560	1140

Mixer

Dosing Tank Mixer

- For 200L tank, Single-phase (220V) SS304/316L, 32r/min, 0.55kW
- For 200L tank, Three-phase (380V) SS304/316L, 32r/min, 0.37kW
- UPVC manual mixer



Ewater

*Please contact us for more models

Wuxi EWATER Water Treatment Co.,Ltd. (China Headquarter)
No.10 Bldg 1, Int'l Enviromental Protection City
Gaocheng, Wuxi City, China
Tel: +86 510 8783 8779
Email: info@ewatertreatment.cn
Website: ewater.en.alibaba.com



Jieming International Trading FZCO (Dubai Branch)
GB33a, Dragon Mart 2
EAL-12, Dragon Mart 1
International City, Dubai, U.A.E
Tel: +971 4 427 3150
Email: sales@hy-jm.com
Website: www.hy-jm.com